

\* BOST CORPORATION - SEOUL, KOREA \*

TEL: (82-2) 552 63 85

FAX: (82-2) 552 63 90

2013.05.17 (3)

JIS MF SERIES (For Japanese Vehicles)													1100X800
Group	JIS No.		Capacity 20HR	CCA (SAE)	RC (Min)	Dimension(mm)				Layout	Terminal	B/Down	14 Pallet
	New	Old				L	W	H	TH				PCS/PALLET
B19	32B19L	NS40L	32	270	48	187	127	200	220	0	B	B0	160
	32B19R	NS40	32	270	48	187	127	200	220	1	B	B0	160
	40B19FL	-	35	300	52	187	135	200	220	0	B	B1	145
	40B19FLS	-	35	300	52	187	135	200	220	0	A	B1	145
	40B19L	NS40ZL	35	300	52	187	127	200	220	0	B	B0	160
	40B19LS	NS40ZLS	35	300	52	187	127	200	220	0	A	B0	160
	40B19R	NS40Z	35	300	52	187	127	200	220	1	B	B0	160
	40B19RS	NS40ZS	35	300	52	187	127	200	220	1	A	B0	160
	42B19FL	-	40	340	55	187	135	200	220	0	B	B1	145
	42B19L	-	40	340	55	187	127	200	220	0	B	B0	160
	42B19FR	-	40	340	55	187	135	200	220	1	B	B1	145
	42B19R	-	40	340	55	187	127	200	220	1	B	B0	160
	46B19L	-	42	370	60	187	127	200	220	0	B	B0	160
	46B19R	-	42	370	60	187	127	200	220	1	B	B0	160
B24	50B24L	N40LB	40	370	60	235	127	200	220	0	B	B0	115
	50B24LS	N40L	40	370	60	235	127	200	220	0	A	B0	115
	50B24R	N40B	40	370	60	235	127	200	220	1	B	B0	115
	50B24RS	N40	40	370	60	235	127	200	220	1	A	B0	115
	60B24L	NS60L	45	430	71	235	127	200	220	0	B	B0	115
	60B24LS	NS60LS	45	430	71	235	127	200	220	0	A	B0	115
	60B24R	NS60	45	430	71	235	127	200	220	1	B	B0	115
	60B24RS	NS60S	45	430	71	235	127	200	220	1	A	B0	115
	70B24L	-	50	470	75	235	127	200	220	0	B	B0	115
	70B24R	-	50	470	75	235	127	200	220	1	B	B0	115
	75B24L	-	55	500	90	235	127	200	220	0	B	B0	115
	75B24R	-	55	500	90	235	127	200	220	1	B	B0	115
	70B24LS		50	470	80	235	127	200	220	0	A	B0	115
	70B24RS		50	470	80	235	127	200	220	1	A	B0	115
75B24LS		55	500	90	235	127	200	220	0	A	B0	115	
75B24RS		55	500	90	235	127	200	220	1	A	B0	115	
D20	50D20L		50	450	80	200	172	200	220	0	A	B1	115
	50D20R		50	450	80	200	172	200	220	1	A	B1	115
D23	75D23L	-	65	550	100	231	172	200	220	0	A	B1	90
	75D23R	-	65	550	100	231	172	200	220	1	A	B1	90
	90D23L	-	70	580	110	231	172	200	220	0	A	B1	90
	90D23R	-	70	580	110	231	172	200	220	1	A	B1	90

	<b>95D23L</b>	-	75	650	120	231	172	200	220	0	A	B1	90
	<b>95D23R</b>	-	75	650	120	231	172	200	220	1	A	B1	90
<b>D26</b>	<b>48D26L</b>	N50L	50	430	80	258	172	200	220	0	A	B1	90
	<b>48D26R</b>	N50	50	430	80	258	172	200	220	1	A	B1	90
	<b>55D26L</b>	N50ZL	60	550	100	258	172	200	220	0	A	B1	90
	<b>55D26R</b>	N50Z	60	550	100	258	172	200	220	1	A	B1	90
	<b>80D26L</b>	NS70L	65	580	110	258	172	200	220	0	A	B1	90
	<b>80D26R</b>	NS70	65	580	110	258	172	200	220	1	A	B1	90
	<b>85D26L</b>	NX110-5L	70	600	120	258	172	200	220	0	A	B1	90
	<b>85D26R</b>	NX110-5	70	600	120	258	172	200	220	1	A	B1	90
	<b>95D26L</b>	-	75	630	130	258	172	200	220	0	A	B1	90
	<b>95D26R</b>	-	75	630	130	258	172	200	220	1	A	B1	90
	<b>105D26L</b>		80	680	130	258	172	200	220	0	A	B1	90
	<b>105D26R</b>		80	680	130	258	172	200	220	1	A	B1	90
<b>D31</b>	<b>65D31L</b>	N70L	70	600	120	303	172	200	220	0	A	B1	75
	<b>65D31R</b>	N70	70	600	120	303	172	200	220	1	A	B1	75
	<b>75D31L</b>	N70ZL	75	630	130	303	172	200	220	0	A	B1	75
	<b>75D31R</b>	N70Z	75	630	130	303	172	200	220	1	A	B1	75
	<b>95D31L</b>	NX120-7L	80	670	140	303	172	200	220	0	A	B1	75
	<b>95D31R</b>	NX120-7	80	670	140	303	172	200	220	1	A	B1	75
	<b>105D31L</b>	-	90	750	160	303	172	200	220	0	A	B1	75
	<b>105D31R</b>	-	90	750	160	303	172	200	220	1	A	B1	75
	<b>115D31L</b>	-	100	800	170	303	172	200	220	0	A	B1	75
	<b>115D31R</b>	-	100	800	170	303	172	200	220	1	A	B1	75
	<b>125D31L</b>	-	105	850	180	303	172	200	220	0	A	B1	75
	<b>125D31R</b>	-	105	850	180	303	172	200	220	1	A	B1	75
<b>E41</b>	<b>95E41L</b>	N100L	100	830	180	408	172	210	230	0	A	B0	50
	<b>95E41R</b>	N100	100	830	180	408	172	210	230	1	A	B0	50
	<b>115E41L</b>	NS120L	110	900	200	408	172	210	230	0	A	B0	50
	<b>115E41R</b>	NS120	110	900	200	408	172	210	230	1	A	B0	50
<b>F51</b>	<b>150F51L</b>	N120L	120	870	230	506	182	213	233	3	A	B0	40
	<b>150F51R</b>	N120	120	870	230	506	182	213	233	4	A	B0	40
<b>G51</b>	<b>180G51L</b>	N150L	150	1000	300	506	215	213	233	3	A	B0	35
	<b>180G51R</b>	N150	150	1000	300	506	215	213	233	4	A	B0	35
	<b>190G51L</b>	NS200L	170	1050	325	506	215	213	233	3	A	B0	35
	<b>190G51R</b>	NS200	170	1050	325	506	215	213	233	4	A	B0	35
<b>H52</b>	<b>210H52L</b>	N200L	200	1200	430	509	274	220	240	3	A	B0	30
	<b>210H52R</b>	N200	200	1200	430	509	274	220	240	4	A	B0	30
	<b>245H52L</b>	NX400-20L	220	1400	460	509	274	220	240	3	A	B0	30
	<b>245H52R</b>	NX400-20	220	1400	460	509	274	220	240	4	A	B0	30
<b>D33</b>	<b>MF100L</b>	-	100	830	180	326	172	203	223	0	A	B0	60
	<b>MF100R</b>	-	100	830	180	326	172	203	223	1	A	B0	60

DIN MF SERIES (For European Vehicles)													1100X800
Group	DIN No.		Capacity 20HR	CCA (EN)	RC (Min)	Dimension(mm)				Layout	Terminal	B/Down	14 Pallet
	New	Old				L	W	H	TH				PCS/PALLET
LB1	53518		35	330	60	207	173	175	175	0	A	B13	110
	53519		35	330	60	207	173	175	175	1	A	B13	110
	53624		36	330	60	207	173	175	175	0	A	B1	110
	53638		36	330	60	207	173	175	175	1	A	B1	110
	53646		36	330	60	207	173	175	175	0	A	B13	110
	54321		43	450	71	207	173	175	175	0	A	B13	110
	54322		43	450	71	207	173	175	175	1	A	B13	110
L1	54459		44	390	71	207	173	190	190	0	A	B13	110
	54464		44	390	71	207	173	190	190	1	A	B13	110
	55054		50	420	80	207	173	190	190	0	A	B13	110
	55566		55	480	90	207	173	190	190	0	A	B13	110
	55568		55	480	90	207	173	190	190	1	A	B13	110
LB2	54518		45	390	71	242	173	175	175	1	A	B14	90
	54519		45	390	71	242	173	175	175	0	A	B14	90
	55040		50	450	80	242	173	175	175	0	A	B13	90
	55457		54	480	90	242	173	175	175	0	A	B13	90
	55458		54	480	90	242	173	175	175	1	A	B13	90
	56077		60	540	100	242	173	175	175	0	A	B13	90
	56177		61	600	100	242	173	175	175	0	A	B13	90
L2	56178		61	600	100	242	173	175	175	1	A	B13	90
	56030		60	480	90	242	173	190	190	0	A	B13	90
	56031		60	480	90	242	173	190	190	1	A	B13	90
	56219		62	540	100	242	173	190	190	0	A	B13	90
	56220		62	540	100	242	173	190	190	1	A	B13	90
	56321		63	580	100	242	173	190	190	0	A	B13	90
	56328		63	580	100	242	173	190	190	1	A	B13	90
	56513		65	620	120	242	173	190	190	0	A	B13	90
LB3	56514		65	620	120	242	173	190	190	1	A	B13	90
	55414		54	480	90	276	173	175	175	0	A	B13	75
	55415		54	480	90	276	173	175	175	1	A	B13	75
	56318		63	540	105	276	173	175	175	0	A	B14	75
	56330		63	540	105	276	173	175	175	0	A	B13	75
	56821		68	570	113	276	173	175	175	1	A	B13	75
	56828		68	570	113	276	173	175	175	0	A	B13	75
	57113		71	640	120	276	173	175	175	0	A	B13	75
L3	56638		66	540	110	276	173	190	190	0	A	B13	75
	56640		66	540	110	276	173	190	190	1	A	B13	75
	57219		72	610	120	276	173	190	190	1	A	B13	75
	57220		72	610	120	276	173	190	190	0	A	B13	75
	57412		74	680	130	276	173	190	190	0	A	B13	75
	57413		74	680	130	276	173	190	190	1	A	B13	75
	58014		80	750	130	276	173	190	190	0	A	B13	75

LB4	57549		75	640	130	315	173	175	175	0	A	B13	75
	58039		80	680	140	315	173	175	175	0	A	B13	75
L4	58043		80	640	140	315	173	190	190	0	A	B13	60
	59042		90	720	160	315	173	190	190	0	A	B13	60
	59043		90	720	160	315	173	190	190	1	A	B13	60
LB5	58515		85	720	145	351	173	175	175	0	A	B13	60
	59015		90	740	160	351	173	175	175	0	A	B13	60
L5	58821		88	680	150	351	173	190	190	1	A	B13	60
	58827		88	680	150	351	173	190	190	0	A	B13	60
	59218		92	720	165	351	173	190	190	0	A	B13	60
	59219		92	720	165	351	173	190	190	1	A	B13	60
	60038		100	850	180	351	173	190	190	0	A	B13	60
	60038R		100	850	180	351	173	190	190	1	A	B13	60
B19	53520		35	300	52	187	127	200	220	0	B	B0	160
	53521		35	300	52	187	127	200	220	0	A	B0	160
	53522		35	300	52	187	127	200	220	1	B	B0	160
B24	54523		45	360	71	235	127	200	220	0	A	B0	115
	54524		45	360	71	235	127	200	220	1	A	B0	115
	54551		45	360	71	235	127	200	220	1	B	B0	115
	54584		45	360	71	235	127	200	220	0	B	B0	115
D20	55041		50	390	80	200	172	200	220	0	A	B1	115
	55042		50	390	80	200	172	200	220	1	A	B1	115
D26	56048		60	480	100	266	172	200	220	0	A	B9	80
	56049		60	480	100	266	172	200	220	1	A	B9	80
	57024		70	540	120	266	172	200	220	1	A	B9	80
	57029		70	540	120	266	172	200	220	0	A	B9	80
D31	57512		75	600	130	303	172	200	220	0	A	B1	75
	57513		75	600	130	303	172	200	220	1	A	B1	75
	58513		85	680	145	303	172	200	220	0	A	B1	75
	58514		85	680	145	303	172	200	220	1	A	B1	75
	59518		95	720	170	303	172	200	220	0	A	B1	75
	59519		95	720	170	303	172	200	220	1	A	B1	75
	60045		100	760	180	303	172	200	220	0	A	B1	75
	60046		100	760	180	303	172	200	220	1	A	B1	75
MF 100	59615		96	760	170	326	172	203	223	0	A	B1	60
	59616		96	760	170	326	172	203	223	1	A	B1	60
E41	60016		100	760	180	408	172	210	230	0	A	B0	60
A	62034		120	680	230	514	189	196	215	3	A	B0	40
	62035		120	680	230	514	189	196	215	3	A	B13	40
	62038		120	680	230	514	189	196	215	4	A	B0	40
	64589		145	800	260	514	189	196	215	3	A	B0	40
B	67018		170	950	320	514	223	196	215	3	A	B0	30
	67019		170	950	320	514	223	196	215	4	A	B0	30
	68032		180	1000	370	514	223	196	215	3	A	B0	30
	68033		180	1000	370	514	223	196	215	4	A	B0	30
	68035		180	1000	370	514	223	196	215	3	A	B13	30

	68036		180	1000	370	514	223	196	215	4	A	B13	30
C	70027		200	1050	430	518	273	216	235	3	A	B0	30
	70029		200	1050	430	518	273	216	235	4	A	B0	30
	72512		225	1150	460	518	273	216	235	3	A	B0	30
B(JIS)	64317-J		143	900	272	506	215	194	215	3	A	B0	35
	64318-J		143	900	272	506	215	194	215	4	A	B0	35
	68032-J		180	1100	350	506	215	194	215	3	A	B0	35
	68033-J		22	1100	350	506	215	194	215	4	A	B0	35

BCI MF SERIES (For American Vehicles)													1100X800
Group	BCI No.		Capacity 20HR	CCA (SAE)	RC (Min)	Dimension(mm)				Layout	Terminal	B/Down	14 Pallet
	New	Old				L	W	H	TH				PCS/PALLET
85	85-450			450	75	231	172	180	200	11	A	B1	90
	85-500			500	85	231	172	180	200	11	A	B1	90
	85-550			550	95	231	172	180	200	11	A	B1	90
86	86-450			450	75	231	172	180	200	10	A	B1	90
	86-500			500	85	231	172	180	200	10	A	B1	90
	86-500E			500	85	231	172	180	200	1	A	B0	90
	86-550			550	95	231	172	180	200	10	A	B1	90
24	24-430			430	80	258	172	200	220	10	A	B1	90
	24-500			500	90	258	172	200	220	10	A	B1	90
	24-550			550	100	258	172	200	220	10	A	B1	90
	24-600			600	120	258	172	200	220	10	A	B1	90
	24-630			630	130	258	172	200	220	10	A	B1	90
	24-670			670	140	258	172	200	220	10	A	B1	90
	24-700			700	140	258	172	200	220	10	A	B1	90
	24-7B			650	115	258	172	200	220	10	A	B1	90
24R	24R-430			430	80	258	172	200	220	11	A	B1	90
	24R-500			500	90	258	172	200	220	11	A	B1	90
	24R-550			550	100	258	172	200	220	11	A	B1	90
	24R-600			600	120	258	172	200	220	11	A	B1	90
	24R-630			630	130	258	172	200	220	11	A	B1	90
	24R-670			670	140	258	172	200	220	11	A	B1	90
24F	24F-4B			400	70	266	172	200	220	11F	A	B9	80
	24F-6B			575	115	266	172	200	220	11F	A	B9	80
	24F-7B			650	115	266	172	200	220	11F	A	B9	80
		24F-7B			650	115	266	172	200	220	11F	A	B9
25	25-500			500	90	231	172	200	220	10	A	B1	90
	25-550			550	100	231	172	200	220	10	A	B1	90
	25-580			580	110	231	172	200	220	10	A	B1	90
D20	41R-450			450	80	200	172	200	220	11	A	B1	115
	41-450			450	80	200	172	200	220	10	A	B1	115
34	34-550			550	100	260	172	181	201	10	A	B1	90
	34-600			600	113	260	172	181	201	10	A	B1	90
	34-670			670	120	260	172	181	201	10	A	B1	90
	34-750			750	130	260	172	181	201	10	A	B1	90

34R	34R-550			550	100	260	172	181	201	11	A	B1	90
	34R-600			600	113	260	172	181	201	11	A	B1	90
	34R-670			670	120	260	172	181	201	11	A	B1	90
	34R-750			750	130	260	172	181	201	11	A	B1	90
35	35-500			500	90	231	172	200	220	11	A	B1	90
	35-550			550	100	231	172	200	220	11	A	B1	90
	35-580			580	110	231	172	200	220	11	A	B1	90
	35-6B			540	90	231	172	200	220	11	A	B1	90
27	27-630			630	130	303	172	200	220	10	A	B1	75
	27-670			670	140	303	172	200	220	10	A	B1	75
	27-750			750	160	303	172	200	220	10	A	B1	75
	27-800			800	170	303	172	200	220	10	A	B1	75
	27-830			830	170	303	172	200	220	10	A	B1	75
27R	27R-630			630	130	303	172	200	220	11	A	B1	75
	27R-670			670	140	303	172	200	220	11	A	B1	75
	27R-750			750	160	303	172	200	220	11	A	B1	75
	27R-800			800	170	303	172	200	220	11	A	B1	75
	27R-830			830	170	303	172	200	220	11	A	B1	75
51	51-370			370	60	235	135	200	220	10	A	B1	115
	51-430			430	71	235	135	200	220	10	A	B1	115
	51-470			470	75	235	135	200	220	10	A	B1	115
51R	51R-370			370	60	235	135	200	220	11	A	B1	115
	51R-430			430	71	235	135	200	220	11	A	B1	115
	51R-470			470	75	235	135	200	220	11	A	B1	115
47	47-500			500	90	242	173	190	190	24	A	B13	90
	47-550			550	90	242	173	190	190	24	A	B13	90
	47-580			580	100	242	173	190	190	24	A	B13	90
	47-650			650	120	242	173	190	190	24	A	B13	90
	47-650R			650	120	242	173	190	190	1	A	B13	90
	47/90-6B			490	95	242	173	190	190	15	A	B13	90
48	48-550			550	90	276	173	190	190	24	A	B13	75
	48-580			580	100	276	173	190	190	24	A	B13	75
	48-630			630	130	276	173	190	190	24	A	B13	75
	48-700			700	130	276	173	190	190	24	A	B13	75
	48/91-7B			560	110	276	173	190	190	15	A	B13	75
49	49-750			750	160	351	173	190	190	24	A	B13	60
	49-850			850	170	351	173	190	190	24	A	B13	60
58	58-500			500	90	234	182	157	177	26	A	B8	90
	58-550			550	100	234	182	157	177	26	A	B8	90
58R	58R-500			500	90	234	182	157	177	19	A	B8	90
	58R-550			550	100	234	182	157	177	19	A	B8	90
65	65-650			650	120	287	187	172	192	10	A	B8	65
	65-750			750	140	287	187	172	192	10	A	B8	65
65R	65R-650			650	120	287	187	172	192	11	A	B8	65
	65R-750			750	140	287	187	172	192	11	A	B8	65
	75-500			500	90	231	179	181	181	17	SIDE	B1	90

75	75-550			550	100	231	179	181	181	17	SIDE	B1	90
	75-600			600	113	231	179	181	181	17	SIDE	B1	90
	75-650			650	120	231	179	181	181	17	SIDE	B1	90
75DT	75DT-500			500	90	231	179	181	201		DT	B1	90
	75DT-550			550	100	231	179	181	201		DT	B1	90
	75DT-600			600	113	231	179	181	201		DT	B1	90
	75DT-650			650	120	231	179	181	201		DT	B1	90
78	78-550			550	100	258	179	181	181	17	SIDE	B1	80
	78-600			600	113	258	179	181	181	17	SIDE	B1	80
	78-670			670	120	258	179	181	181	17	SIDE	B1	80
	78-750			750	130	258	179	181	181	17	SIDE	B1	80
78DT	78DT-550			550	100	258	179	181	201		DT	B1	80
	78DT-600			600	113	258	179	181	201		DT	B1	80
	78DT-670			670	120	258	179	181	201		DT	B1	80
	78DT-750			750	130	258	179	181	201		DT	B1	80
90	90-450			450	71	242	173	175	175	24	A	B13	90
	90-500			500	80	242	173	175	175	24	A	B13	90
	90-550			550	90	242	173	175	175	24	A	B13	90
	90-570			570	100	242	173	175	175	24	A	B13	90
91	91-580			580	105	276	173	175	175	24	A	B13	75
	91-630			630	110	276	173	175	175	24	A	B13	75
	91-670			670	120	276	173	175	175	24	A	B13	75
92	92-670			670	120	315	173	175	175	24	A	B13	60
	92-750			750	140	315	173	175	175	24	A	B13	60
	92-830			830	145	315	173	175	175	24	A	B13	60
93	93-750			750	140	351	173	175	175	24	A	B13	60
	93-830			830	130	351	173	175	175	24	A	B13	60
30H	30H-830L			830	180	326	172	203	223	11	A	B1	60
	30H-830			830	180	326	172	203	223	10	A	B1	60
4D	4D-1000			1000	300	506	215	213	233	8	A	B0	35
	4D-1050			1050	325	506	215	213	233	8	A	B0	35
8D	8D-1200			1200	430	509	274	220	240	8	A	B0	30
	8D-1400			1400	460	509	274	220	240	8	A	B0	30
22F	22F-450			450	75	240	172	180	203	11F	DUAL FIT	B9	90
	22F-450R			450	75	240	172	180	203	10F	DUAL FIT	B9	90
	22F-500			500	85	240	172	180	203	11F	DUAL FIT	B9	90
	22F-500R			500	85	240	172	180	203	10F	DUAL FIT	B9	90
	22F-550			550	95	240	172	180	203	11F	DUAL FIT	B9	90
	22F-550R			550	95	240	172	180	203	10F	DUAL FIT	B9	90
31	31-750			750	160	330	172	217	240	18	TOP	B0	60
	31-800			800	170	330	172	217	240	18	TOP	B0	60
	31-850			850	180	330	172	217	240	18	TOP	B0	60
	31-900			900	185	330	172	217	240	18	TOP	B0	60
	31-1000			1000	190	330	172	217	240	18	TOP	B0	60
31-750T	31-750T			750	160	330	172	217	240	18	STUD	B0	60
	31-800T			800	170	330	172	217	240	18	STUD	B0	60

31S	31-850T			850	180	330	172	217	240	18	STUD	B0	60
	31-900T			900	185	330	172	217	240	18	STUD	B0	60
	31-950T			950	185	330	172	217	240	18	STUD	B0	60
	31-1000T			1000	190	330	172	217	240	18	STUD	B0	60

MARINE FOR STARTING & SEMI-DEEP CYCLE													1100X800
Group	MARINE No.		Capacity 20HR	CCA (SAE)	RC (Min)	Dimension(mm)				Layout	Terminal	B/Down	14 Pallet
	New	Old				L	W	H	TH				PCS/PALLET
M24	M24-560			560	105	258	172	200	221	1	TWIN	B1	90
	M24-600			600	120	258	172	200	221	1	TWIN	B1	90
	M24-700			700	140	258	172	200	221	1	TWIN	B1	90
	M24-750			750	130	258	172	200	221	1	TWIN	B1	90
M27	M27-750			750	160	303	172	200	221	1	TWIN	B1	75
M31	M31-800			800	180	330	172	217	238	1	TWIN	B0	60
	M31-900			900	185	330	172	217	238	1	TWIN	B0	60
	M31-950			950	185	330	172	217	238	1	TWIN	B0	60